

magnetic element (6) permanently attached to a second component (5) and protruding from same as an extension. The magnets (2, 6) can either be designed in order not to move when joined (with polygonal surfaces) or to be able to move within limits, by being spherical or ball shaped, concave respectively.

USE - The system can be used for the temporary joining of two parts with magnets, in particular components of a toy or a model vehicle.

ADVANTAGE - The parts can be easily assembled and detached, no tools are required.

DESCRIPTION OF DRAWING(S) - The drawing shows a side view of two parts of the system.

first component 1

magnet 2

recess 3

recess in magnet 4

second component 5

magnetic extension 6

plug element 7, 8

stop 9

fixing area 10, 11

CHOSEN-DRAWING: Dwg.1/4

DERWENT-ACC-NO: 2002-585028

DERWENT-WEEK: 200263

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: System for temporary joining of two  
parts with magnets,  
in particular components of toy or  
model vehicle

PATENT-ASSIGNEE: STAEBLEIN R[STAEI]

PRIORITY-DATA: 2002DE-2001310 (January 29, 2002)

PATENT-FAMILY:

PUB-NO	PAGES	PUB-DATE	MAIN-IPC
DE 20201310 U1		August 8, 2002	N/A
018	A63H 033/10		

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
DE 20201310U1	N/A	2002DE-
2001310	January 29, 2002	

INT-CL (IPC): A63H033/10, F16S001/02

ABSTRACTED-PUB-NO: DE 20201310U

BASIC-ABSTRACT:

NOVELTY - A magnet (2) is permanently fixed inside a recess (3) provided at one of the components (1) of a toy to be assembled by the child. The upper surface of the magnet (1) is flush with the surface of the component (1) and also provided with a recess (4) particularly shaped in order to be engaged with a

TITLE-TERMS: SYSTEM TEMPORARY JOIN TWO PART MAGNET  
COMPONENT TOY MODEL VEHICLE

DERWENT-CLASS: P36 Q68

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2002-463949

